

MINIQUINE Syrup

(Chloroquine Phosphate BP)

منی کوئین سیرپ
(کلورو کوئین فاسفیٹ)

COMPOSITION:

Each 5ml contains:
Chloroquine Phosphate BP 81mg
equivalent to Chloroquine Base ... 50mg
NQ Specs

DESCRIPTION:

Chloroquine is mainly used to prevent malaria. It can be used on its own or in combination with another antimalarial to increase its effectiveness. It can also be used to treat some forms of malaria.

Malaria is a serious infection. It is common in tropical countries such as parts of Africa, Asia and South America. Malaria is a disease which is passed on to humans by infected mosquitoes. A parasite called plasmodium lives inside the stomachs of infected female mosquitoes and is passed on to humans by a bite.

INDICATIONS:

Suppression or chemoprophylaxis of malaria; treatment of uncomplicated or mild to moderate malaria.

DOSAGE:

Prophylaxis of malaria, preferably started 1 week before entering endemic area and continued for 4 weeks after leaving.

DOSE RECOMMENDED FOR MALARIA:

Age	Therapeutic Dose (No. of teaspoonful)				Prophylaxis Dose (No. of teaspoonful)
	Initial	After 6 hours	Second Day	Third Day	
Under 1 Year	1	1	1	1	1
1-3 Years	2	1	1	1	2
3-5 Years	3	1½	1½	1½	3

Rev: 12-18/1/Inst.

PRECAUTIONS:

It may exacerbate psoriasis; neurological disorders (avoid for prophylaxis if history of epilepsy) may aggravate myasthenia gravis; severe gastro-intestinal disorders; G6PD deficiency; avoid concurrent therapy with hepatotoxic drugs.

Hepatic Impairment: Use with caution in moderate to severe impairment.

Pregnancy & breast-feeding: Consult your doctor for the benefit of prophylaxis and treatment in malaria outweighs risk.

WARNING:

Improper storage will lead to loss of potency or discoloration.

SIDE EFFECTS:

Gastro-intestinal disturbances, headache; also hypotension, convulsions; visual disturbances, depigmentation or loss of hair; skin reactions (rashes, sensitivity reactions such as urticaria and angio-edema; other side-effects (not usually associated with malaria prophylaxis or treatment).

INSTRUCTIONS:

Store below 30°C. Protect from heat and light. Keep out of the reach of children. **Shake Well Before Use.**

PRESENTATION:

Miniquine (Chloroquine) Syrup is supplied in pack size of 60ml.

خوراک: ڈاکٹر کی ہدایت کے مطابق استعمال کریں۔

ہدایات: ۳۰ ڈگری سینٹی گریڈ سے کم درجہ حرارت پر رکھیں۔ گرمی اور روشنی سے بچائیں۔ بچوں کی پہنچ سے دور رکھیں۔
استعمال سے پہلے ہلکا ہلکا جھینٹیں ہلائیں۔



Manufactured by:
NABIQASIM INDUSTRIES (PVT) LTD.
17/24, Korangi Industrial Area,
Karachi-Pakistan.